


## Recombinant Nampt Monoclonal Antibody

catalog number: **AN303324L**


**Note:** *Centrifuge before opening to ensure complete recovery of vial contents.*

| Description  |                                 |
|--------------|---------------------------------|
| Reactivity   | Human;Mouse;Rat                 |
| Host         | Rabbit                          |
| Isotype      | IgG                             |
| Clone        | C112944                         |
| Purification | Affinity Purification           |
| Buffer       | 0.2 µm filtered solution in PBS |
| Applications | Recommended Dilution            |
| WB           | 1:1000                          |
| IHC-P        | 1:200-1:2000                    |
| ICC/IF       | 1:100                           |
| FCM          | 1:200-1:500                     |
| IP           | 1:20-1:50                       |
| Data         |                                 |




Western Blot analysis of K562, HT-1080, PC-3 cells using Nampt Monoclonal Antibody at dilution of 1:1000.

**Observed-MW:56 kDa**  
**Calculated-MW:56 kDa**




Western Blot analysis of HCT116, 293T cells and Mouse heart, Rat liver using Nampt Monoclonal Antibody at dilution of 1:1000.

**Observed-MW:56 kDa**  
**Calculated-MW:56 kDa**



Western Blot analysis of 3T3, RAW264.7 cells using Nampt Monoclonal Antibody at dilution of 1:1000.

**Observed-MW:56 kDa**  
**Calculated-MW:56 kDa**



Western Blot analysis of HeLa, A549, HL-60, U-2 OS, C6 cells using Nampt Monoclonal Antibody at dilution of 1:1000.

**Observed-MW:56 kDa**  
**Calculated-MW:56 kDa**


### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)


Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

Rev. V1.1



Immunofluorescent analysis of U87-MG cells using Nampt Monoclonal Antibody (green), and DAPI (blue).



Immunohistochemical analysis of paraffin-embedded Human lung cancer.

## Preparation & Storage

### Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.

### Shipping

Ice bag