# Recombinant Fas/TNFRSF6/CD95 Monoclonal Antibody(Capture)

catalog number: AN002600P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-						٠,		
D	Α		C	PТ	m	ŤΤ	U.	m
$\mathbf{L}$	v	0	v.	ш	עו	UΙ	U.	

**Reactivity** Human

Immunogen Recombinant Human Fas/TNFRSF6/CD95 protein expressed by E.coli

Host Mouse
Isotype Mouse IgG2a

Clone 6C2

**Purification** Protein A/G Purification


**Conjugation** Unconjugated

**buffer** Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

**Applications** Recommended Dilution

**ELISA Capture** 2-8 μg/mL

#### Data



Sandwich ELISA-Recombinant Human Fas/TNFRSF6/CD95 protein standard curve.Background subtracted standard curve using Recombinant Fas/TNFRSF6/CD95 antibody(AN002600P)(Capture),Recombinant Fas/TNFRSF6/CD95 antibody(AN002610P)(Detector) in sandwich ELISA.The reference range value for Recombinant Human Fas/TNFRSF6/CD95 protein is 0.16-10 ng/mL.

# Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

## Background

FAS,also named as CD95,APO-1,APT1,FAS1 and TNFRSF6,is a receptor for TNFSF6/FASLG. It is a cell surface receptor belonging to the TNF receptor superfamily,can mediates apoptosis by ligation with an agonistic anti-Fas antibody or Fas ligand. Stimulation of Fas results in the aggregation of its intracellular death domains,leading to the formation of the death-inducing signaling complex (DISC). FAS-mediated apoptosis may have a role in the induction of peripheral tolerance,in the antigen-stimulated suicide of mature T-cells,or both. The secreted isoforms 2 to 6 block apoptosis (in vitro). This anti-Fas monoclonal antibody can be used to induce apoptosis in cell cultures through Fas by imitating the Fas-ligand.

### For Research Use Only