A Reliable Research Partner in Life Science and Medicine

# Recombinant Mouse Transforming Growth Factor-Beta Receptor Type II/TGFBR2 (C-Fc)

Catalog Number: PKSM041417

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

**Species** Mouse

Source HEK293 Cells-derived Mouse TGFBR2 protein Ile24-Asp184, with an C-terminal Fc

Calculated MW 45 kDa
Observed MW 60-75 kDa
Accession Q62312

**Bio-activity** Not validated for activity

#### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Transforming growth factor- $\beta$  (TGF- $\beta$ ) is an essential regulator in the processes of development, cell proliferation, and extracellular matrix deposition. TGF- $\beta$  regulates cellular processes by binding to three high-affinity cell surface receptors: TGF- $\beta$  receptor type I (TGF- $\beta$ -RI), TGF- $\beta$  receptor type II (TGF- $\beta$ -RII). TGF- $\beta$  RII is consists of a C-terminal protein kinase domain and an N-terminal ectodomain and belongs to transforming growth factor-beta (TGF- $\beta$ ) receptor subfamily. TGF- $\beta$  RII has a protein kinase domain which can form a heterodimeric complex with another receptor protein and bind TGF-beta. This receptor/ligand complex phosphorylates protein will enter the nucleus and regulate the transcription of a subset of genes related to cell proliferation.

#### For Research Use Only