

## Recombinant Human Kallikrein 1/KLK1 Protein (His Tag)

**Catalog Number:** PKSH032664

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	HEK293 Cells-derived Human Kallikrein 1;KLK1 protein Pro19-Ser262, with an C-terminal His
<b>Calculated MW</b>	28.2 kDa
<b>Observed MW</b>	38-55 kDa
<b>Accession</b>	AAH05313.1
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Concentration</b>	Subject to label value.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
<b>Shipping</b>	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < -20°C.
<b>Formulation</b>	Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, 2mM CaCl <sub>2</sub> , pH 8.0.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Kallikrein-1 (KLK1) is a member of human tissue Kallikrein family. Human KLK1 precursor contains a signal peptide (residues 1 to 18), a short pro peptide (residues 19 to 24) and a mature chain (residues 25 to 262). The function of KLK1 is to cleave Kininogen in order to release the vasoactive Kinin peptide (Lysyl-Bradykinin or Bradykinin). The Kinin peptide controls blood pressure reduction, vasodilation, smooth muscle relaxation and contraction, pain induction and inflammation. KLK1 also plays a role in angiogenesis and tumorigenesis.