

A Reliable Research Partner in Life Science and Medicine

# **PDCD4 Polyclonal Antibody**

catalog number: E-AB-40340

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Reactivity Human; Mouse; Rat

Immunogen Recombinant Human Programmed cell death protein 4 protein

Host Rabbit Isotype IgG


Purification Antigen Affinity Purification

Buffer PBS with 0.05% Proclin300, 1% protective protein and 50% glycerol, pH7.4

## Applications Recommended Dilution

**WB** 1:500-1:1000 **IHC** 1:100-1:300


#### **Data**






Western Blot analysis of HepG2 cells using PDCD4 Polyclonal Antibody at dilution of 1:500

Observed-MW:56 kDa Calculated-MW:50,51 kDa



Western Blot analysis of Rat thymus cells using PDCD4
Polyclonal Antibody at dilution of 1:500


Observed-MW:56 kDa Calculated-MW:50,51 kDa



Immunohistochemistry of paraffin-embedded Mouse liver using PDCD4 Polyclonal Antibody at dilution of 1:200

Western Blot analysis of Rat heart cells using PDCD4 Polyclonal Antibody at dilution of 1:500

> Observed-MW:56 kDa Calculated-MW:50,51 kDa



Immunohistochemistry of paraffin-embedded Rat spleen using PDCD4 Polyclonal Antibody at dilution of 1:200

**Preparation & Storage** 

## For Research Use Only

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web: w w w .elabscience.com
 Email: techsupport@elabscience.com



## **Elabscience Bionovation Inc.**

A Reliable Research Partner in Life Science and Medicine

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

## **Background**

Programmed cell death 4 (Pdcd4) is a novel tumor suppressor that inhibits translation, progression and invasion. It was first identified as being differnetially upregulated during apoptosis. Pdcd4 interferes with the activity of the eukaryotic initiation factor (eIF) 4A by displacing the scaffold protein eIF4G from its binding to the RNA helicase eIF4A.

For Research Use Only