Recombinant Human Inhibin β C Chain/INHBC Protein (aa 237-352, His Tag)

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog Number: PKSH032587



Description				
Species	Human			
Mol_Mass	14.8 kDa			
Accession	P55103			
Bio-activity	Not validated for activity			
Properties				
Purity	> 95 % as determined by reducing SDS-PAGE.			
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.			
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80			
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of			
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.			
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.			
Formulation	Lyophilized from a 0.2 µm filtered solution of 4mM HCl, 1mM DTT.			
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants			
	before lyophilization.			
	Please refer to the specific buffer information in the printed manual.			
Reconstitution	Please refer to the printed manual for detailed information.			

Data				
ł	кDа	MK	nc ^e R	
	120 90	100		
	60		e bede	
	40	-	Ela	
	30		5	
	20	iente	Ela	
	14	-	La constante da	

> 95 % as determined by reducing SDS-PAGE.

Background

Inhibins/activins are involved in regulating a number of diverse functions such as hypothalamic and pituitary hormone secretion; gonadal hormone secretion; germ cell development and maturation; erythroid differentiation; insulin secretion; n; nerve cell survival; embryonic axial development or bone growth; depending on their subunit composition. Inhibins appear to oppose the functions of activins; Inhibins and activins inhibit and activate; respectively; the secretion of follitropin by the pituitary gland.

For Research Use Only