Elabscience®


Elab Fluor[®] Violet 540 Anti-Rat CD4(domain 1) Antibody[OX-38]

Catalog Number: E-AB-F1105UT3

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description		
Reactivity	Rat	
Host	Mouse	
Isotype	Mouse IgG2a, κ	
Clone No.	OX-38	
Isotype Control	Elab Fluor [®] Violet 540 Mouse IgG2a, κ Isotype Control[C1.18.4] [Product E-AB-F09803T3]	
Conjugation	Elab Fluor [®] Violet 540	
Conjugation Information	Elab Fluor [®] Violet 540 is designed to be excited by the violet laser (405 nm) and detecte using an optical filter centered near 548 nm (e.g., a 572/28 nm bandpass filter).	
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	
Applications	Recommended usage	
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the	

reagent to obtain optimal results [The recommended concentration is 0.1-1 µg/10⁶ cells in 100 µL volume].



Staining of Rat splenocytes with APC Anti-Rat CD3

Antibody[G4.18] and Elab Fluor® Violet 540 Anti-Rat CD4(domain 1) Antibody[OX-38](left) or Elab Fluor[®] Violet 540 Mouse IgG2a, κ Isotype Control(right). Total viable cells were used for analysis.

Preparation & Storage			
Storage	Keep as concentrated solution.		
	This product can be stored at 2-8°C for 12 months. Please pro exposure to light and do not freeze.	otected from prolonged	
Shipping	Ice bag		
Antigen Information			
Alternate Names	CD4;T-cell surface antigen T4/Leu-3;T-cell surface glycoprotein CD4;domain 1		
Uniprot ID	P05540		
For Research Use Onl	у		
Toll-free: 1-888-852-8623 Web:www.elabscience.com	Tel: 1-832-243-6086 Email:techsupport@elabscience.com	Fax: 1-832-243-6017	
		Rev. V1.7	

Elabscience®

Gene ID Background

24932

CD4, also known as T4, is a 55kD glycoprotein member of the immunoglobin superfamily and is expressed on majority of thymocytes, macrophages, and a peripheral T cell subset (T helper cells). CD4 is a T cell co-receptor that interacts with the MHC class II molecule and is involved in T cell activation.