Elabscience®

RGR Polyclonal Antibody

catalog number: E-AB-19982

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Reactivity	Human;Mouse		
Immunogen	Synthetic peptide of hum	Synthetic peptide of human RGR	
Host	Rabbit		
Isotype	IgG	IgG	
Purification	Antigen affinity purificati	Antigen affinity purification	
Conjugation	Unconjugated		
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.		
Applications	Recommended Dilution	Recommended Dilution	
WB	1:500-1:2000		
IHC	1:30-1:150		
Data			
kDa 95			
Western blot analysis of Mouse liver tissue lysate using RGR I		Immunohistochemistry of paraffin-embedded Human tonsil	
Polyclonal Antibody at dilution of 1:300		tissue using RGR Polyclonal Antibody at dilution of	
Observed-MV: Refer to figures		1:25(×200)	
Calculated-MV:32 kDa			
Preparation & Storage			
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.		
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the		
	temperature recommended.		
Background			

This gene encodes a putative retinal G-protein coupled receptor. The gene is a member of the opsin subfamily of the 7 transmembrane, G-protein coupled receptor 1 family. Like other opsins which bind retinaldehyde, it contains a conserved lysine residue in the seventh transmembrane domain. The protein acts as a photoisomerase to catalyze the conversion of all-trans-retinal to 11-cis-retinal. The reverse isomerization occurs with rhodopsin in retinal photoreceptor cells. The protein is exclusively expressed in tissue adjacent to retinal photoreceptor cells, the retinal pigment epithelium and Mueller cells. This gene may be associated with autosomal recessive and autosomal dominant retinitis pigmentosa (arRP and adRP, respectively). Alternative splicing results in multiple transcript variants encoding different isoforms.