## **Elabscience**®

## Elab Fluor<sup>®</sup> Red 780 Anti-Rat CD3 Antibody[G4.18]


Catalog Number: E-AB-F1228US

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Rat
Host	Mouse
lsotype	Mouse IgG3, κ
Clone No.	G4.18
Isotype Control	Elab Fluor <sup>®</sup> Red 780 Mouse IgG3, κ Isotype Control[A112-3] [Product E-AB-F09752S]
Conjugation	Elab Fluor <sup>®</sup> Red 780
Conjugation Information	Elab Fluor <sup>®</sup> Red 780 is designed to be excited by the Red (627-640 nm) laser and detected using an optical filter centered near 770 nm (e.g., a 780/60 nm bandpass filter).
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 µg/10 <sup>6</sup> cells]

reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu$ g/10<sup>6</sup> cells in 100  $\mu$ L volume].

Data



Rat splenocytes are stained with Elab Fluor<sup>®</sup> Red 780 Anti-Rat CD3 Antibody (filled gray histogram) or Elab Fluor<sup>®</sup> Red 780 Mouse IgG3,  $\kappa$  Isotype Control (empty black histogram).

Preparation & Storag	ge
Storage	Keep as concentrated solution.
	This product can be stored at 2-8°C for 12 months. Please protected from prolonged
	exposure to light and do not freeze.
Shipping	Ice bag
Antigen Information	
Alternate Names	T-cell surface glycoprotein CD3 $\delta$ ;y;ɛ;and $\zeta$ chains;CD3 Complex;T3;CD3
Uniprot ID	P19377;Q64159;D4A5M2
Gene ID	25710;300678;315609;25300

For Research Use Only	
Toll-free: 1-888-852-8623	
Web:www.elabscience.com	

## **Elabscience**®

.

## Elabscience Bionovation Inc. A Reliable Research Partner in Life Science and Medicine

Background

CD3 is a complex composed of  $\delta$ ,  $\gamma$ ,  $\epsilon$ , and  $\zeta$  chains. They are 20-25 kD members of the immunoglobulin superfamily and associated with the T cell receptor (TCR). CD3 is expressed on thymocytes, peripheral T cells, some NK-T cells, and dendritic epidermal T cells. CD3 is involved in antigen recognition, signal transduction, and T cell activation