## **Elabscience**®

## **CBX5** Polyclonal Antibody

## catalog number: E-AB-18215

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Immunogen	Fusion protein of human CBX5
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:1000-1:5000
Data	
	72— 55—
Polyclonal Antil Observed-M	
Polyclonal Antil Observed-M	<ul> <li>55-</li> <li>36-</li> <li>28-</li> <li>17-</li> <li>10-</li> <li>of Jurkat cell lysate using CBX5</li> <li>body at dilution of 1:1100</li> <li>AW:Refer to figures</li> </ul>
Polyclonal Antil Observed-M Calcula	<ul> <li>55-</li> <li>36-</li> <li>28-</li> <li>17-</li> <li>10-</li> <li>of Jurkat cell lysate using CBX5</li> <li>body at dilution of 1:1100</li> <li>AW:Refer to figures</li> </ul>
Polyclonal Antil Observed-M Calcula Preparation & Storage	<ul> <li><sup>55-</sup>28-</li> <li><sup>17-</sup></li> <li><sup>10-</sup></li> <li><sup>10</sup> f Jurkat cell lysate using CBX5</li> <li><sup>11</sup> oody at dilution of 1:1100</li> <li><sup>11</sup> <b>W:Refer to figures</b></li> <li><sup>11</sup> <b>ted-MW:22 kDa</b></li> </ul>

## Background

This gene encodes a highly conserved nonhistone protein, which is a member of the heterochromatin protein family. The protein is enriched in the heterochromatin and associated with centromeres. The protein has a single N-terminal chromodomain which can bind to histone proteins via methylated lysine residues, and a C-terminal chromo shadow-domain (CSD) which is responsible for the homodimerization and interaction with a number of chromatin-associated nonhistone proteins. The encoded product is involved in the formation of functional kinetochore through interaction with essential kinetochore proteins. The gene has a pseudogene located on chromosome 3. Multiple alternatively spliced variants, encoding the same protein, have been identified.

For Research Use Only