



A Reliable Research Partner in Life Science and Medicine

Elab Fluor® 647 Anti-Human CD10 Antibody[CB-CALLA]

Catalog Number: E-AB-F1078M

Note: Centrifuge before opening to ensure complete recovery of vial contents.

_		400	
Desc		7 77	٦n
レヒコレ	ш		711

Reactivity Human Host Mouse

Isotype Mouse IgG1, κ
Clone No. CB-CALLA

Isotype Control Elab Fluor® 647 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792M]

Conjugation Elab Fluor® 647

Conjugation Information Elab Fluor[®] 647 is designed to be excited by the Red laser (627-640 nm) and detected

using an optical filter centered near 670 nm (e.g., a 660/20 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.

Applications Recommended usage

FCM Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

Antigen Information

Alternate Names CALLA;CD10;MME;NEP;Neprilysin;Neutral endopeptidase;SFE

 Uniprot ID
 P08473

 Gene ID
 4311

Background CD10 is a 100 kD neutral endopeptidase and a member of the metalloprotease family.

It is a type II transmembrane protein also known as common acute lymphoblastic leukemia antigen (CALLA), enkephalinase, and neprilysin. CD10 is expressed on B cell precursors, T cell precursors, and neutrophils. CD10 is involved in B cell development and has been shown to bind opioid enkephalins, bradykinin,

angiotensins I and II, and other biologically active peptides.