A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Human CD40 Antibody[3A8]

catalog number: E-AB-F1037A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human

**Immunogen** Recombinant Human CD40 protein

**Host** Mouse

**Isotype** Mouse IgG2b, κ

Clone 3A8

**Purification** >98%, Protein A/G purified


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

# Applications Recommended Dilution

FCM  $2 \mu g/mL(1\times10^5-5\times10^5 \text{ cells})$ 

#### Data



Human peripheral blood lymphocytes cell were stained with 0.2 μg Purified Anti-Human CD40 Antibody[3A8] (Right) and 0.2 μg Mouse IgG1, κ Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Mouse IgG Secondary Antibody, then anti-human CD19 PE-conjugated Monoclonal Antibody.

# Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

## Background

CD40 is a type I transmembrane glycoprotein belonging to the TNF receptor superfamily. The mature hCD40 consists of a 172 amino acid (aa) extracellular domain, a 22 aa transmembrane region and a 62 aa cytoplasmic domain. Human and mouse CD40 share 62% aa identity. CD40 is expressed in B cells, follicular dendritic cells, dendritic cells, activated monocytes, macrophages, endothelial cells, vascular smooth muscle cells, and several tumor cell lines.

### For Research Use Only

Fax: 1-832-243-6017