A Reliable Research Partner in Life Science and Medicine

## Recombinant Rhesus Macaque Angiotensin-Converting Enzyme 2/ACE-2 (C-Fc)

Catalog Number: PKSQ050120

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

**Species** Rhesus Macaque

Source HEK293 Cells-derived Rhesus Macaque ACE2/ACE-2 protein Gln18-Val739, with an C-

terminal Fc

Calculated MW 110 6 kDa Observed MW 120-140 kDa Accession ACI04564.1

Immobilized 2019-nCoV S Protein RBD-SD1-mFc(Cat#PKSR030476)at 2µg/ml (100 **Bio-activity** 

> μl/well) can bind Rhesus Macaque ACE-2-Fc(Cat#PKSQ050120). The ED<sub>50</sub> of Recombinant Rhesus Macaque ACE-2-His(Cat#PKSQ050120)is 96 ng/ml.

#### **Properties**

> 95 % as determined by reducing SDS-PAGE. **Purity** 

Concentration Subject to label value.


Endotoxin < 1.0 EU per ug of the protein as determined by the LAL method. Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles. Storage

This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel Shipping


packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of PBS, pH7.4.

#### Data



> 95 % as determined by reducing SDS-PAGE.



Immobilized 2019-nCoV S Protein RBD-SD1mFc(Cat#PKSR030476)at 2µg/ml (100 µl/well) can bind Rhesus Macaque ACE-2-Fc(Cat#PKSQ050120). The ED50 of Recombinant Rhesus Macaque ACE-2-His(Cat#PKSQ050120)is 96 ng/ml.

### Background

# Elabscience®

#### **Elabscience Bionovation Inc.**

A Reliable Research Partner in Life Science and Medicine

Angiotensin-Converting Enzyme 2 (ACE-2) is an integral membrane protein and a zinc metalloprotease of the ACE family, the ACE family includes somatic and germinal ACE. ACE-2 cleaves angiotensins I and II as a carboxypeptidase, ACE-2 converts angiotensin I to angiotensin 1-9, and angiotensin II to angiotensin 1-7. ACE-2 is also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. ACE-2 can be high expressed in testis, kidney and heart, in colon, small intestine and ovary at moderate levels. Captopril and lisinopril as the classical ACE inhibitor don't inhibit ACE-2 activity. ACE-2 may play an important role in regulating the heart function.

For Research Use Only

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web:www.elabscience.com
 Email:techsupport@elabscience.com