
## Recombinant Mouse CD39/ENTPD1 Protein (His Tag)

## Catalog Number: PKSM041341

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description   |   |
|---------------|---|
| Species       | Mouse   |
| Source        | HEK293 Cells-derived Mouse CD39/ENTPD1 protein Thr38-Ile478, with an C-terminal           |
|               | His   |
| Calculated MW | 50.5 kDa  |
| Observed MW   | 60-90 kDa   |
| Accession     | P55772  |
| Bio-activity  | Not validated for activity  |
| Properties    |   |
| Purity        | > 95 % as determined by reducing SDS-PAGE.  |
| Concentration | Subject to label value.   |
| Endotoxin     | < 1.0 EU per µg of the protein as determined by the LAL method.                           |
| Storage       | Store at $<$ -20°C, stable for 6 months. Please minimize freeze-thaw cycles.              |
| Shipping      | This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel |
|               | packs. Upon receipt, store it immediately at < - 20°C.                                    |
| Formulation   | Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 500mM NaCl, 10% Glycerol,        |
|               | pH 7.4.   |
| Data          |   |



## Background

Ectonucleoside triphosphate diphosphohydrolase-1(NTPDase-1)is an integral membrane protein with an extracellular active site. Recombinant mouse NTPDase-1wasexpressed as a protein lacking its N- andC-terminaltransmembrane domains, resulting in the secretion of the soluble ectodomain. NTPDase-1was originally describedas CD39, a B lymphocyte cell surface marker. but it is also present on the surface of natural killer cells, T cells, and some endothelial cells. NTPDase1hydrolyzes the  $\beta$ -and $\gamma$  phosphate residues of nucleotides, preferring ATP as the substrate. Through its hydrolysis of extracellular nucleotides, NTPDase-1plays arole in the regulation of purinergic signaling. NTPDase-1is involved in the processes of thromboregulation and vascular inflammation. The administration of soluble NTPDase-1may have therapeutic applications for the treatment of some vascular and transplantation-associateddiseases.