# Purified Anti-Human Granzyme B Antibody[GB11]

**catalog number:** **AN011290P**


**Note:** *Centrifuge before opening to ensure complete recovery of vial contents.*

## Description

| | |
|---|---|
| **Reactivity** | Human |
| **Immunogen** | Recombinant Human Granzyme B protein |
| **Host** | Mouse |
| **Isotype** | Mouse IgG1, κ |
| **Clone** | GB11 |
| **Purification** | >98%, Protein A/G purified |
| **Buffer** | Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze to completely remove the stabilizer prior to labeling. |

| Applications | Recommended Dilution |
|---|---|
| **FCM** | ≤ 0.2 μg per million cells in 100 μL volume |

## Data



Human peripheral blood lymphocytes were stained with 0.2 μg Purified Anti-Human Granzyme B Antibody[GB11] (Right) and 0.2 μg Mouse IgG1, κ Isotype Control (Left), followed by APC-conjugated Goat Anti-Mouse IgG Secondary Antibody, then anti-Human CD8 PE-conjugated Monoclonal Antibody.

## Preparation & Storage

| | |
|---|---|
| **Storage** | Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles. |
| **Shipping** | Ice bag |

## Background

Cytolytic T lymphocytes (CTL) and natural killer (NK) cells share the remarkable ability to recognize, bind, and lyse specific target cells. They are thought to protect their host by lysing cells bearing on their surface 'nonself' antigens, usually peptides or proteins resulting from infection by intracellular pathogens. The protein encoded by this gene is crucial for the rapid induction of target cell apoptosis by CTL in cell-mediated immune response.


Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com