

# ZNF395 Polyclonal Antibody

Catalog Number:E-AB-13288

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

|                     |                                                     |
|---------------------|-----------------------------------------------------|
| <b>Reactivity</b>   | Human                                               |
| <b>Immunogen</b>    | Synthetic peptide of human ZNF395                   |
| <b>Host</b>         | Rabbit                                              |
| <b>Isotype</b>      | IgG                                                 |
| <b>Purification</b> | Affinity purification                               |
| <b>Conjugation</b>  | Unconjugated                                        |
| <b>Formulation</b>  | PBS with 0.05% sodium azide and 50% glycerol, PH7.4 |

## Applications Recommended Dilution

|            |            |
|------------|------------|
| <b>IHC</b> | 1:50-1:200 |
|------------|------------|

## Data



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ZNF395 Polyclonal Antibody at dilution 1:40

## Preparation & Storage

|                |                                             |
|----------------|---------------------------------------------|
| <b>Storage</b> | Store at -20°C. Avoid freeze / thaw cycles. |
|----------------|---------------------------------------------|

## Background

Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. As a member of the krueppel C2H2-type zinc-finger protein family, ZNF395 (Zinc finger protein 395), also known as PBF (Papillomavirus-binding factor) and HDBP2 (Huntington disease gene regulatory region-binding protein 2), is a 513 amino acid protein that contains one C2H2-type zinc finger. ZNF395 binds to the 3'-CCGG-5' sequence within the papillomavirus promoter adjacent to a RUNX1-binding motif. It has also been established that ZNF395 binds to a seven base pair region within the Huntington's disease (HD) gene promoter, an essential element for HD gene expression. ZNF395 is widely expressed and probably shuttles between the nucleus and cytoplasm.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017