Recombinant Rhesus Macaque Tumor-associated Calcium Signal Transducer 2/TROP-2 (C-6His)

Catalog Number: PKSQ050121



Note: Centrifuge before opening to ensure complete recovery of vial contents.

			•
 O C	OWI		ınn
		UU	ion

Species Rhesus Macaque

Mol Mass 28.7 kDa

Accession XP 001114599.1

Bio-activity Loaded Anti-Human TROP-2 mAb-Fc on Protein A Biosensor, can bind Rhesus

Macaque TROP-2-His with an affinity constant of 0.29 nM as determined in BLI assay.

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Tumor associated calcium signal transducer 2 (TACSTD2, TROP-2) is a type I cell surface glycoprotein that is highly expressed on human carcinomas. It was originally identified as an antigen present on human gastrointestinal tumors and is the second of two members of this family. Human and mouse TROP-2 share 87% amino acid (aa) similarity. TROP-2 is capable of transducing an intracellular calcium signal and may play a role in tumor growth. It also has adhesive functions

For Research Use Only