Recombinant Human Parathyroid Hormone/PTH Protein (His Tag)

Catalog Number: PKSH033570



Note: Centrifuge before opening to ensure complete recovery of vial contents. Description **Species** Human Mol Mass 10.5 kDa Accession P01270 Not validated for activity **Bio-activity Properties** > 95 % as determined by reducing SDS-PAGE. Purity < 1.0 EU per µg of the protein as determined by the LAL method. Endotoxin Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 Storage °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at $< -20^{\circ}$ C for 3 months. This product is provided as lyophilized powder which is shipped with ice packs. Shipping Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Formulation Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. Reconstitution Please refer to the printed manual for detailed information. Data

kDa 120 90 60 40 30 20	MK	R
14 7		-

> 95 % as determined by reducing SDS-PAGE.

Background

Parathyroid hormone (PTH) is a critical hormone in the regulation of Ca++ homeostasis. Parathyroid hormone is the most important endocrine regulator of calcium and phosphorus concentration in extracellular fluid. This hormone is secreted from cells of the parathyroid glands and finds its major target cells in bone and kidney. Another hormone; parathyroid hormone-related protein; binds to the same receptor as parathyroid hormone and has major effects on development. Like most other protein hormones; parathyroid hormone is synthesized as a preprohormone. After intracellular processing; the mature hormone is packaged with in the Golgi into secretory vesicles; the secreted into blood by exocytosis. In renal epithelium; PTH promotes conversion of Vitamin D to its active form; lowers Ca++ excretion and increases phosphate excretion. PTH also increases hematopoietic stem cell proliferation and mobilization and induces arterial vasodilation by regulating Ca++ influx in PTH1R-expressing arterial smooth muscle.

For Research Use Only