

## Recombinant Human GALE Protein (His Tag)

**Catalog Number: PKSH033193**

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	E.coli-derived Human GALE protein Met 1-Ala348, with an N-terminal His
<b>Calculated MW</b>	40.4 kDa
<b>Observed MW</b>	35 kDa
<b>Accession</b>	Q14376
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Concentration</b>	Subject to label value.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
<b>Shipping</b>	This product is provided as liquid. It is shipped at frozen temperature with blue ice/ gel packs. Upon receipt, store it immediately at < - 20°C.
<b>Formulation</b>	Supplied as a 0.2 µm filtered solution of 50mM Tris-HCl, 150mM NaCl, 2mM DTT, 1mM EDTA, pH 8.0.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

The enzyme UDP-Glucose 4-Epimerase (GALE) is a homodimeric epimerase found in bacterial, plant and mammalian cells. UDP-Glucose 4-Epimerase performs the final step in the Leloir pathway of Galactose metabolism, it catalyzes two distinct but analogous reactions: the epimerization of UDP-Gglucose to UDP-Galactose and the epimerization of UDP-N-Acetylglucosamine to UDP-N-Acetylgalactosamine. The bifunctional nature of the enzyme has the important metabolic consequence that mutant cells (or individuals) are dependent not only on exogenous galactose, but also on exogenous N-acetylgalactosamine as a necessary precursor for the synthesis of glycoproteins and glycolipids.

### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017