# **Elabscience**®

## Human CASP4 Antibody Pair Set

Catalog No.E-KAB-0492ApplicationsELISASynonymsCaspase-4;CASP-4;ICE and Ced-3 homolog 2;ICH-2;ICE ( rel ) -II;Mih1;Protease TX;ICH2;TX

#### **Kit components & Storage**

Title	Specifications	Storage
Human CASP4 Capture Antibody	1 vial, 100 µ g	Store at $-20^{\circ}$ C for one year.
		Avoid freeze/thaw cycles.
Human CASP4 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Product Information**

Items		Characteristic (E-KAB-0492)		
		Human CASP4 Capture Antibody	Human CASP4 Detection Antibody (Biotin)	
Immunogen	Immunogen	Recombinant Human CASP4 protien	Recombinant Human CASP4 protien	
Information	Swissprot	P49662		
Product details	Reactivity	Human	Human	
	Host	Rat	Rat	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Protein A or G	Protein A or G	
	Specificity	Detects Human CASP4 in ELISAs.		

For Research Use Only

# **Elabscience**®

### Applications

Human CASP4 Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Human CASP4 Capture	
Capture		Antibody	10
			ensity
ELISA	1:1000-1:10000	Human CASP4 Detection	Optical Density
Detection		Antibody (Biotin)	· 0.1
			0.01 0.1 1 10 100
			Human CASP4 Concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

### Background

This gene encodes a member of the cysteine proteases that plays important roles in apoptosis, cell migration and the inflammatory response. The encoded protein mediates production of pro-inflammatory cytokines by macrophages upon bacterial infection. Mice lacking the encoded protein are resistant to endotoxic shock induced by lipopolysaccharide. A 5-bp deletion encompassing a splice acceptor junction resulting in alternate splicing and a shorter non-functional isoform in certain mouse strains has been described. Although its official nomenclature is "caspase 4, apoptosis-related cysteine peptidase" this gene and its encoded protein have historically been called caspase 11. This gene is present in a cluster of three caspase genes on chromosome 9.

#### For Research Use Only