
## Recombinant Human PODXL protein (SUMO, His Tag)

## Catalog Number: PDEH100865

Note: Centrifuge before opening to ensure complete recovery of vial contents.

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Description	
Calculated MW34.2 kDaObserved MW32 kDaAccessionO00592Bio-activityNot validated for activityPropertiesPurity> 95% as determined by reducing SDS-PAGE.Endotoxin< 10 EU/mg of the protein as determined by the LAL method	Species	Human
Observed MW32 kDaAccessionO00592Bio-activityNot validated for activityPropertiesPurity> 95% as determined by reducing SDS-PAGE.Endotoxin< 10 EU/mg of the protein as determined by the LAL method	Source	E.coli-derived Human PODXL protein Ala220-Ile431, with an N-terminal Sumo & His
AccessionO00592Bio-activityNot validated for activityPropertiesPurity> 95% as determined by reducing SDS-PAGE.Endotoxin< 10 EU/mg of the protein as determined by the LAL method	Calculated MW	34.2 kDa
Bio-activityNot validated for activityPropertiesPurity> 95% as determined by reducing SDS-PAGE.Endotoxin< 10 EU/mg of the protein as determined by the LAL method	Observed MW	32 kDa
Properties   Purity > 95% as determined by reducing SDS-PAGE.   Endotoxin < 10 EU/mg of the protein as determined by the LAL method   Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.   Shipping This product is provided as lyophilized powder which is shipped with ice packs.   Formulation Lyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5% Mannitol.   Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of the store	Accession	O00592
Purity> 95% as determined by reducing SDS-PAGE.Endotoxin< 10 EU/mg of the protein as determined by the LAL method	Bio-activity	Not validated for activity
Endotoxin< 10 EU/mg of the protein as determined by the LAL methodStorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.ShippingThis product is provided as lyophilized powder which is shipped with ice packs. Lyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5% Mannitol.ReconstitutionIt is recommended that sterile water be added to the vial to prepare a stock solution of	Properties	
StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Purity	> 95% as determined by reducing SDS-PAGE.
°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Endotoxin	< 10 EU/mg of the protein as determined by the LAL method
Shippingreconstituted samples are stable at < -20°C for 3 months.	Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5% Mannitol.ReconstitutionIt is recommended that sterile water be added to the vial to prepare a stock solution of		°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5% Mannitol.ReconstitutionIt is recommended that sterile water be added to the vial to prepare a stock solution of		reconstituted samples are stable at $< -20^{\circ}C$ for 3 months.
ReconstitutionMannitol.It is recommended that sterile water be added to the vial to prepare a stock solution of	Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Reconstitution</b> It is recommended that sterile water be added to the vial to prepare a stock solution of	Formulation	Lyophilized from a 0.2 $\mu$ m filtered solution in PBS with 5% Trehalose and 5%
· · · · · · · · · · · · · · · · · · ·		Mannitol.
	Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of
0.5  mg/mL. Concentration is measured by UV-Vis.		0.5 mg/mL. Concentration is measured by UV-Vis.



> 95 % as determined by reducing SDS-PAGE.

## Background

Data

Podocalyxin (PODXL), also known as Podocalyxin-like protein 1 (PCLP-1), is a heavily glycosylated transmembrane sialoprotein in the CD34 and Endoglycan family.Podocalyxin is expressed on glomerular and vascular endothelial cells, neurons, hematopoietic, mesenchymal, and cardiac stem cells, and metastatic carcinoma and glioblastoma tumor cells. A soluble form of Podocalyxin can be released into the urine of women with pre-eclampsia. Podocalyxin promotes platelet activation, neurite outgrowth, branching, and synaptogenesis, homing of hematopoietic progenitor cells to the bone marrow and spleen, and engraftment of mesenchymal and cardiac stem cells into ischemic heart and kidney. Its interactions with L-Selectin and E-Selectin mediate the tethering of lymphocytes and metastatic tumor cells to the vascular endothelium.

For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com