

A Reliable Research Partner in Life Science and Medicine

# **CKMT2 Polyclonal Antibody**

catalog number: E-AB-14878

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant protein of human CKMT2

Host Rabbit
Isotype IgG

**Purification** Affinity purification


**Buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

# **Applications** Recommended Dilution

**WB** 1:500-1:2000 **IHC** 1:100-1:300

## Data






Western Blot analysis of Jurkat cell using CKMT2 Polyclonal Immunohistochemistry of paraffin-embedded Human gastic

Antibody at dilution of 1:700 cancer using CKMT2 Polyclonal Antibody at dilution of 1:60

#### Calculated-MW:48 kDa



Immunohistochemistry of paraffin-embedded Human liver cancer using CKMT2 Polyclonal Antibody at dilution of 1:60

# Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

# Background

## For Research Use Only

# Elabscience®

## **Elabscience Bionovation Inc.**

A Reliable Research Partner in Life Science and Medicine

Mitochondrial creatine kinase (MtCK) is responsible for the transfer of high energy phosphate from mitochondria to the cytosolic carrier, creatine. It belongs to the creatine kinase isoenzyme family. It exists as two isoenzymes, sarcomeric MtCK and ubiquitous MtCK, encoded by separate genes. Mitochondrial creatine kinase occurs in two different oligomeric forms: dimers and octamers, in contrast to the exclusively dimeric cytosolic creatine kinase isoenzymes. Sarcomeric mitochondrial creatine kinase has 80% homology with the coding exons of ubiquitous mitochondrial creatine kinase. This gene contains sequences homologous to several motifs that are shared among some nuclear genes encoding mitochondrial proteins and thus may be essential for the coordinated activation of these genes during mitochondrial biogenesis. Three transcript variants encoding the same protein have been found for this gene.

For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

Tel: 1-832-243-6086 Email:techsupport@elabscience.com

Rev. V1.7