#### Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

# **SKP2 Polyclonal Antibody**

catalog number: E-AB-62215

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human; Mouse; Rat

**Immunogen** A synthetic peptide of human SKP2 (NP 005974.2).

Host Rabbit Isotype IgG


**Purification** Affinity purification

**Buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

# **Applications** Recommended Dilution

**WB** 1:500-1:2000

#### Data



Western blot analysis of extracts of various cell lines using

SKP2 Polyclonal Antibody at dilution of 1:1000.

## Observed-MW:45 kDa

Calculated-MW:23 kDa/46 kDa/47 kDa

#### **Preparation & Storage**

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

# Background

This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbls class; in addition to an F-box, this protein contains 10 tandem leucine-rich repeats. This protein is an essential element of the cyclin A-CDK2 S-phase kinase. It specifically recognizes phosphorylated cyclin-dependent kinase inhibitor 1B (CDKN1B, also referred to as p27 or KIP1) predominantly in S phase and interacts with S-phase kinase-associated protein 1 (SKP1 or p19). In addition, this gene is established as a protooncogene causally involved in the pathogenesis of lymphomas. Alternative splicing of this gene generates three transcript variants encoding different isoforms.

## For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Tel: 1-832-243-6086 Email:techsupport@elabscience.com