CD97 Polyclonal Antibody(Capture/Detector)

catalog number: AN003900P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-			•					
D	es	C	rı	m	tı	0	ī	

Reactivity Human

Immunogen Recombinant Human CD97 Protein expressed by Mammalian

Host Rabbit
Isotype Rabbit IgG

Purification Antigen Affinity Purification


Conjugation Unconjugated

buffer Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

Applications Recommended Dilution

ELISA Capture 2-8 μg/mL **ELISA Detector** 0.1-0.4 μg/mL

Data



Sandwich ELISA-Recombinant Human CD97 Protein standard curve.Background subtracted standard curve using Anti-CD97 antibody(AN003900P)(Capture),Anti-CD97 antibody(AN003900P)(Detector).The reference range value is 125-8000 pg/ml for human.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene encodes a member of the EGF-TM7 subfamily of adhesion G protein-coupled receptors, which mediate cell-cell interactions. These proteins are cleaved by self-catalytic proteolysis into a large extracellular subunit and seven-span transmembrane subunit, which associate at the cell surface as a receptor complex. The encoded protein may play a role in cell adhesion as well as leukocyte recruitment, activation and migration, and contains multiple extracellular EGF-like repeats which mediate binding to chondroitin sulfate and the cell surface complement regulatory protein CD55. Expression of this gene may play a role in the progression of several types of cancer. Alternatively spliced transcript variants encoding multiple isoforms with 3 to 5 EGF-like repeats have been observed for this gene. This gene is found in a cluster with other EGF-TM7 genes on the short arm of chromosome 19.

For Research Use Only