普诺赛® Procell system

IL-16/LCF, Mouse, Recombinant

Cat. No.: GPCK322

产品信息

物种 Mouse

表达宿主 E.coli

序列信息 MHDLNSSTDSAASASASDISVESKEATVCTVTLEKTSAGLGFSLEGGKGSLHGDKPLTINRIF

cellsystem

KGDRTGEMVQPGDEILQLAGTAVQGLTRFEAWNVIKALPDGPVTIVIRRTSLQCKQTTASADS

with polyhistidine tag at the C-terminus.

检索号 AAC04383.1

标签 His-tag at the C-terminus

分子量 14.04 kDa **有效期** 12 months

产品特性

内毒素 (EU/μg) < 0.1

保存 Lyophilized protein should be stored at -5~-20°C for 1 year. Upon reconstitution, store at 2-

8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10% FBS, 5% HSA or 5% trehalose solution), protein aliquots should be stored

普诺赛[®] | Procell system

at -5~-20°C or -80°C for 3-6 months.

运输 Ambient temperature or ice pack.

制剂 The protein was lyophilized from a 0.2 µm filtered solution containing 1 × PBS, pH 7.4.

复溶 It is recommended to reconstitute the lyophilized protein in sterile water to a

concentration not less than 100 µg/mL. Do Not Vortex! Vigorous shaking may impair the

biological activity of the protein.

背景介绍大大

Interleukin 16 (IL-16) is a cytokine that is released by a variety of cells (including lymphocytes and some epithelial cells) that has been characterized as a chemoattractant for certain immune cells expressing the cell surface molecule CD4. The protein encoded by this gene is a pleiotropic cytokine that functions as a chemoattractant, a modulator of T cell activation, and an inhibitor of HIV replication. The signaling process of this cytokine is mediated by CD4. The product of this gene undergoes proteolytic processing, which is found to yield two functional proteins.

网站: <u>www.procell.com.cn</u> 电话: 400-999-2100

邮箱: techsupport@procell.com.cn

地址:湖北省武汉市高新大道858号生物医药产业园三期C4栋



