Recombinant Human COL8A1 Protein (His Tag)

Catalog Number: PKSH032267



Note: Centrifuge before opening to ensure complete recovery of vial contents.

		crip				
	00	O	РΤ	n	tπ	Λn
JU.	\mathbf{c}	U.S.		w	ш	

 Species
 Human

 Mol_Mass
 71.6 kDa

 Accession
 P27658

Bio-activity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Collagen alpha-1(VIII) chain, also known as endothelial collagen, C3orf7 and COL8A1, can be cleaved into vastatin chain. COL8A1 is a short chain collagen and a major component of the basement membrane of the corneal endothelium. COL8A1 forms homotrimers, or heterotrimers in association with alpha 2(VIII) type collagens. Four homotrimers can form a tetrhedron stabilized by central interacting C-terminal NC1 trimers. COL8A1 contains one C1q domain and is primarily expressed in the subendothelium of large blood vessels. The expression level can be up-regulated during vascular injury, in atherosclerosis and in diabetes. COL8A1 may have a role in the maintenance of vessel wall integrity and structure, in particular in atherogenesis.

For Research Use Only