

Recombinant Human VEGF-B/VEGFB Protein (Fc Tag)

Catalog Number: PKSH033474

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Human
Source	HEK293 Cells-derived Human VEGF-B/VEGFB protein Pro22-Ala207, with an N-terminal Fc
Mol_Mass	45.7 kDa
Accession	P49765
Bio-activity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

VEGFB, as known as VRF, is a member of the VEGF family of growth factors that share structural and functional similarity. By alternative splicing, two isoforms of mature VEGF-B containing 167 or 186 amino acid (aa) residues exist. VEGF-B is expressed in most tissues, especially in heart, skeletal muscle and pancreas. The two VEGF-B isoforms have identical amino-terminal cysteine-knot VEGF homology domains but the carboxyl end of VEGF-B167 differs from that of VEGF-B186 by the presence of a highly basic cysteine-rich heparin binding domain. VEGF-B167 and a proteolytically processed form of VEGF-B186 also bind neuropilin-1, a type I transmembrane receptor for semaphorins/collapsins, ligands involved in neuron guidance.

For Research Use Only