A Reliable Research Partner in Life Science and Medicine

Recombinant Mouse IL-1RA/IL1RN Protein

Catalog Number: PKSM041046

Note: Centrifuge before opening to ensure complete recovery of vial contents.

\mathbf{r}							
H)	es	C	m	n	т	ſΠ	ï

Species Mouse

Source E.coli-derived Mouse IL-1RA/IL1RN protein Arg27-Gln178, with an C-terminal His

Calculated MW 18.3 kDa
Observed MW 17 kDa
Accession P25085

Bio-activity Measure by its ability to inhibit IL-1 alpha -dependent proliferation in D10.G4.1

cells. The ED₅₀ for this effect is <50 ng/mL.

Properties

Purity > 98 % as determined by reducing SDS-PAGE.

Endotoxin $< 0.1 \text{ EU per } \mu \text{g of the protein as determined by the LAL method.}$

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 98 % as determined by reducing SDS-PAGE.

Background

Elabscience®

Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

Interleukin-1 receptor antagonist protein (Il1m), also known as IL-1ra, IRAP or IL1 inhibitor, is a member of the interleukin 1 cytokine family. This protein inhibits the activities of interleukin 1 alpha (IL1A) and interleukin 1 beta (IL1B), and modulates a variety of interleukin 1 related immune and inflammatory responses. The mouse Il1m gene encodes a 178 amino acids (aa) protein with a 26 aa signal peptide. Mouse Il1m protein shares 26% and 19% identity with its homologues IL-1 beta and IL-1 alpha, respectively. Il1m can Inhibits the activity of interleukin-1 by binding to receptor IL1R1 and preventing its association with the coreceptor IL1RAP for signaling, but has no interleukin-1 like activity. Recently, an recombinant human Il1m protein is used in the treatment of rheumatoid arthritis, an autoimmune disease in which IL-1 plays a key role.