# Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

# **DAZ1 Polyclonal Antibody**

catalog number: E-AB-18643

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

**Reactivity** Human

Immunogen Fusion protein of human DAZ1

Host Rabbit Isotype IgG

**Purification** Antigen affinity purification


**Conjugation** Unconjugated


**Buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

**IHC** 1:50-1:300

#### Data





Immunohistochemistry of paraffin-embedded Human cervical Immunohistochemistry of paraffin-embedded Human tonsil cancer tissue using DAZ1 Polyclonal Antibody at dilution of 1:55(×200) tissue using DAZ1 Polyclonal Antibody at dilution of 1:55(×200)

### **Preparation & Storage**

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

# Background

This gene is a member of the DAZ gene family and is a candidate for the human Y-chromosomal azoospermia factor (AZF). Its expression is restricted to premeiotic germ cells, particularly in spermatogonia. It encodes an RNA-binding protein that is important for spermatogenesis. Four copies of this gene are found on chromosome Y within palindromic duplications; one pair of genes is part of the P2 palindrome and the second pair is part of the P1 palindrome. Each gene contains a 2.4 kb repeat including a 72-bp exon, called the DAZ repeat; the number of DAZ repeats is variable and there are several variations in the sequence of the DAZ repeat. Each copy of the gene also contains a 10.8 kb region that may be amplified; this region includes five exons that encode an RNA recognition motif (RRM) domain. This gene contains three copies of the 10.8 kb repeat. However, no transcripts containing three copies of the RRM domain have been described; thus the RefSeq for this gene contains only two RRM domains.

## For Research Use Only