Recombinant Human PCSK9 Protein (D374Y, His Tag)

Catalog Number: PKSH032947



Note: Certanage Sciole Opena	
Description	
Species	Human
Mol_Mass	15-18&60-80 kDa
Accession	Q8NBP7
Bio-activity	Immobilized Recombinant Human LDL R (C-Fc) at 5µg/ml (100 µl/well) can bind
	Recombinant Human PCSK9 . The ED_{50} of Recombinant Human PCSK9 is 39.17 ng/ml.
Properties	
Purity	>90 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/ge
El.d	packs. Upon receipt, store it immediately at < - 20°C. Supplied as a 0.2 μ m filtered solution of 50mM HEPES, 150mM NaCl, 20% Glycerol,
Formulation	pH 7.4.
Reconstitution	Not Applicable
Data	
kDa M	K en ^{ce} R
120	
90	- e"
Elan	Habert
60	
ccience	absulence
Elabse 40	ice.
002	

Note: Centrifuge before opening to ensure complete recovery of vial contents.

> 90 % as determined by reducing SDS-PAGE.

30

Background

Recombinant Human Proprotein Convertase Subtilisin/Kexin Type 9/PCSK9 (D374Y) is a gain of function mutant of human PCSK9 protein. Human PCSK9 is a secretory subtilase belonging to the proteinase K subfamily. PCSK9 is synthesized as a soluble zymogen that undergoes autocatalytic intramolecular processing in the ER, the pro domain and mature chain are secreted together through noncovalent interactions. PCSK9 binds with low-density lipoprotein receptor (LDLR) and it plays a major regulatory role in cholesterol homeostasis. Inhibition of PCSK9 function by preventing PCSK9/LDLR interaction is currently being explored as a means of lowering cholesterol levels. PCSK9 also binds to apolipoprotein receptor 2 (ApoER2), and play a role in the neural development.

For Research Use Only