PIP4K2A Polyclonal Antibody

catalog number: E-AB-14739




Note: Centrifuge before opening to ensure complete recovery of vial contents.

50% glycerol.


Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:200

Data





Western Blot analysis of K562 and Mouse brain tissue using PIP4K2A Polyclonal Antibody at dilution of 1:1150 Calculated-MV:46 kDa Immunohistochemistry of paraffin-embedded Human thyroid cancer using PIP4K2A Polyclonal Antibody at dilution of 1:50



Immunohistochemistry of paraffin-embedded Human brain using PIP4K2A Polyclonal Antibody at dilution of 1:50

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.

Background

Phosphatidylinositol-5,4-bisphosphate, the precursor to second messengers of the phosphoinositide signal transduction pathways, is thought to be involved in the regulation of secretion, cell proliferation, differentiation, and motility. The protein encoded by this gene is one of a family of enzymes capable of catalyzing the phosphorylation of phosphatidylinositol-5-phosphate on the fourth hydroxyl of the myo-inositol ring to form phosphatidylinositol-5,4-bisphosphate. The amino acid sequence of this enzyme does not show homology to other kinases, but the recombinant protein does exhibit kinase activity. This gene is a member of the phosphatidylinositol-5-phosphate 4-kinase family.

For Research Use Only