Recombinant Mouse β-NGF/NGFB Protein

Catalog Number: PKSM041188



Note: Centrifuge before opening to ensure complete recovery of vial contents.	
Description	
Species	Mouse
Mol_Mass	12.4 kDa
Accession	P01139
Bio-activity	Measured in a cell proliferation assay using TF- 1 human erythroleukemic cells. The
	ED50 for this effect is 68.52 ng/ml.
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM PB, 200mM NaCl, pH 8.0.
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants
	before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

kDa MK R 120 90 60 40 30 20 14 > 95 % as determined by reducing SDS-PAGE.

Background

Data

NGF is the first member discovered in the Neurotrophin family, which includes brain-derived neurotrophic factor (BDNF), neurotrophin-3 (NT-3), and neurotrophin-4 (NT-4). These proteins belong to the cysteine-knot family of growth factors that assume stable dimeric structures. Mouse beta -NGF is a homodimer of two 120 amino acid polypeptides. It shares approximately 90% homology at the amino acid level with human beta -NGF and 95.8% with rat beta -NGF. NGF signaling has been shown to play an important role in neuroprotection and repair. β -NGF acts as a growth and differentiation factor for B lymphocytes, and enhances B-cell survival. It is a potent neurotrophic factor that signals through its receptor β -NGFR, and plays a crucial role in the development and preservation of the sensory and sympathetic nervous systems.

For Research Use Only