Recombinant Human OBFC1/STN1 Protein (His Tag)

Catalog Number: PKSH032832



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| | | crip | | | | |
|-----|--------------|------|----|---|----|----|
| | 00 | O | РΤ | n | tπ | Λn |
| JU. | \mathbf{c} | U.S. | | w | ш | |

 Species
 Human

 Mol_Mass
 44.3 kDa

 Accession
 AAH17400.1

Bio-activity Not validated for activity

Properties

Purity > 80 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 μm filtered solution of 20mM Tris-HCl, 1mM DTT, 5%

Trehalose, pH 8.0.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 80 % as determined by reducing SDS-PAGE.

Background

CST Complex Subunit STN1 (OBFC1) is a 368 amino acid protein that contains one OB DNA-binding domain. It is a member of the STN1 family. OBFC1 is component of the CST complex, a complex that binds to single-stranded DNA and is required to protect telomeres from DNA degradation. The CST complex binds single-stranded DNA with high affinity in a sequence-independent manner, while isolated subunits bind DNA with low affinity by themselves. In addition to telomere protection, the CST complex has probably a more general role in DNA metabolism at non-telomeric sites.

For Research Use Only