## Recombinant Human Hematopoietic progenitor cell antigen CD34/CD34 (C-6His)

Catalog Number: PKSH033931



| Description    |  |  |
|----------------|--|--|
| Species        | Human  |  |
| Mol_Mass       | 28.3 kDa   |  |
| Accession      | P28906   |  |
| Bio-activity   | Not validated for activity   |  |
| Properties     |  |  |
| Purity         | > 95 % as determined by reducing SDS-PAGE.   |  |
| Endotoxin      | < 1.0 EU per µg of the protein as determined by the LAL method.                          |  |
| Storage        | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 |  |
|                | °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of      |  |
|                | reconstituted samples are stable at $< -20^{\circ}C$ for 3 months.                       |  |
| Shipping       | This product is provided as lyophilized powder which is shipped with ice packs.          |  |
| Formulation    | Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.                              |  |
|                | Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants         |  |
|                | before lyophilization.   |  |
|                | Please refer to the specific buffer information in the printed manual.                   |  |
| Reconstitution | Please refer to the printed manual for detailed information.                             |  |

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Data kDa MK R 120

| Da_            | IVIN | ĸ |
|----------------|------|---|
| 20<br>90<br>60 |      | - |
| 40             |      |   |
| 30             | -    |   |
| 20             | -    |   |
| 14             | -    |   |

> 95 % as determined by reducing SDS-PAGE.

## Background

Human CD34 is high glycosylated type I transmembrane protein, and it could act as a scaffold for the attachment of lineage specific glycans, allowing stem cells to bind to lectins expressed by stromal cells or other marrow components. CD34 is found on multipotent precursors, bone marrow stromal cells, embryonic fibroblasts, vascular endothelia, as well as some populations of mesenchymal stem cells, and tumor cell lines, and it is a common marker for diverse progenitors.

## For Research Use Only