

BDNF, Human/Mouse/Rat, Recombinant

Cat. No. : PCK083

General Information

Synonyms	ANON2;BULN2
Species	Human/Mouse/Rat
Expression host	E.coli
Sequence	MHSDPARRGELSVCDSSISEWVTAADKKTAVDMSGGTVTVLEKVPVSKGQLKQYFYETKCNPM GYTKEGCRGIDKRHWNSQCRTTQSYVRALTMDSKKRIGWRFIRIDTSCVCTLTIKRGR with polyhistidine tag at the C-terminus.
Accession	P23560.1 (Human), P21237.1 (Mouse), P23363.1 (Rat)
Tag	His-tag at the C-terminus
Mol mass	14.45 kDa
Expiration date	12 months
Bio activity	Measure by its ability to induce proliferation in BaF3 cells transfected with TrkB. The ED50 for this effect is < 2 ng/mL.

Product feature

Purity	> 98% as determined by SDS-PAGE. Ni-NTA chromatography.
Endotoxin (EU/μg)	< 0.1
Storage	Lyophilized protein should be stored at -5~-20°C for 1 year. Upon reconstitution, store at 2-8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10% FBS, 5% HSA or 5% trehalose solution), protein aliquots should be stored at -5~-20°C or -80°C for 3-6 months.
Shipping	Ice bag
Formulation	The protein was lyophilized from a 0.2 μm filtered solution containing 20 mM sodium citrate, 0.2 M NaCl, pH 3.5.
Reconstitution	It is recommended to reconstitute the lyophilized protein in sterile water to a concentration not less than 100 μg/mL. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

Background

BDNF, also known as Brain-derived neurotrophic factor, is encoded by the BDNF Gene in human. BDNF is a member of the neurotrophin family of growth factors, which are related to the canonical nerve growth factor. Neurotrophic factors are found in the brain and the periphery. The versatility of BDNF is emphasized by its contribution to a range of adaptive neuronal responses including long-term potentiation (LTP), long-term depression (LTD), certain forms of short-term synaptic plasticity, as well as homeostatic regulation of intrinsic neuronal excitability.