



A Reliable Research Partner in Life Science and Medicine

## AF/LE Purified Anti-Human/Mouse KLRG-1 Antibody[2F1]

catalog number: E-AB-F12730

Note: Centrifuge before opening to ensure complete recovery of vial contents.

**Description** 

**Reactivity** Human, Mouse

Immunogen Recombinant Mouse KLRG-1 protein

HostSyrian HamsterIsotypeSyrian Hamster IgG

Clone 2F1

**Purification** >98%, Protein A/G purified

**Conjugation** None (AF/LE)

**Buffer** Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method

.

Applications	Recommended Dilution
FCM	$2 \mu g/mL(1\times10^5-5\times10^5 \text{ cells})$
Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /
	thaw cycles. This preparation contains no preservatives, thus it should be handled

under aseptic conditions.

**Shipping** Ice bag

## Background

Killer cell lectin-like receptor Gl (KLRGl) is the mouse homolog of the rat mast cell function-associated antigen (MAFA or 2F1-Ag). KLRGl is a type II membrane glycoprotein that was first identified on the surface of rat mast cell line RBL-2H3. It is composed of a homodimer of glycosylated 30-38 kD subunits. Mouse and human homologs of KLRGl are expressed by subsets of NK cells and lymphokine-activated killer (LAK) cells but not mast cells. KLRGl is also expressed on subsets of CD8<sup>+-</sup>end CD4<sup>+-</sup>ells, including CD4<sup>+-</sup>and CD8<sup>+-</sup>effector/memory cells, potent regulatory CD4<sup>+-</sup>T cells. KLRGl may be involved in regulating NK cell homeostasis. KLRG2 was found to recognize cadherins and thus inhibit immune responses by regulating the effector function and the developmental processes of NK and T cells.

For Research Use Only

Tel: 400-999-2100 Web: www.elabscience.cn Email:techsupport@elabscience.cn