

CXCL5/LIX Polyclonal Antibody(Capture/Detector)

catalog number: AN003830P

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Rat
Immunogen	Recombinant Rat CXCL5/LIX Protein expressed by E.coli
Host	Rabbit
Isotype	Rabbit IgG
Purification	Antigen Affinity Purification
Buffer	Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

Applications Recommended Dilution

ELISA Capture	2-8 µg/mL
ELISA Detector	0.1-0.4 µg/mL

Data



Sandwich ELISA-Recombinant Rat CXCL5/LIX Protein standard curve. Background subtracted standard curve using Anti-CXCL5/LIX antibody(AN003830P)(Capture), Anti-CXCL5/LIX antibody(AN003830P)(Detector). The reference range value is 0.16-10 ng/mL for rat.

Preparation & Storage

Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

LPS-induced CXC chemokine (LIX) is a chemokine similar to two human chemokines, ENA-78 (CXCL5) and GCP-2 (CXCL6). LIX can be produced by many immune cells, such as macrophages, eosinophils, as well as non-immune cells including mesothelial cells, and fibroblasts. Increased serum LIX has been observed in obesity and insulin resistance in mice and humans and is associated with complications of diabetes including nephropathy and atherosclerosis. It is mainly produced when induced by LPS, IL-17 and/or TNF- α . According to the previous studies, cancer cell autonomous secretion of LIX as sufficient to drive infiltration of mature, protumorigenic neutrophils in a mouse model of non-small cell lung cancer (NSCLC).

For Research Use Only