Elabscience®

HNRNPH2 Polyclonal Antibody

catalog number: E-AB-52276

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Fusion protein of human HNRNPH2
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution

Ppirotectorio	
WB	1:500-1:2000
IHC	1:30-1:150

Data



histochemistry of paraffin-embedded

Western blot analysis of Human fetal liver tissue lysate using

HNRNPH2 Polyclonal Antibody at dilution of 1:400

Observed-MW:Refer to figures



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using HNRNPH2 Polyclonal Antibody at dilution of 1:40(×200)

Immunohistochemistry of paraffin-embedded Human prost ate cancer tissue using HNRNPH2 Polyclonal Antibody at dilution of 1:40(×200)

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

For Research Use Only

Elabscience®

This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM domains that binds to RNAs. It is very similar to the family member HNRPH1. This gene is thought to be involved in Fabray disease and X-linked agammaglobulinemia phenotype. Alternative splicing results in multiple transcript variants encoding the same protein. Read-through transcription between this locus and the ribosomal protein L36a gene has been observed.

For Research Use Only