Elabscience®

SPATA6 Polyclonal Antibody

catalog number: E-AB-10665

Note: Centrifuge before opening to ensure complete recovery of vial contents.

ReactivityHuman;Mouse;RatImmunogenRecombinant protein of human SPATA6HostRabbitIsotypeIgGPurificationAffinity purificationConjugationUnconjugatedBufferPhosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.ApplicationsRecommended DilutionIHC1:25-1:100				
ImmunogenRecombinant protein of human SPATA6HostRabbitIsotypeIgGPurificationAffinity purificationConjugationUnconjugatedBufferPhosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.ApplicationsRecommended DilutionIHC1:25-1:100	Description			
HostRabbitIsotypeIgGPurificationAffinity purificationConjugationUnconjugatedBufferPhosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.ApplicationsRecommended DilutionIHC1:25-1:100	Reactivity	Human;Mouse;Rat		
IsotypeIgGPurificationAffinity purificationConjugationUnconjugatedBufferPhosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.ApplicationsRecommended DilutionIHC1:25-1:100	Immunogen	Recombinant protein of h	Recombinant protein of human SPATA6	
PurificationAffinity purificationConjugationUnconjugatedBufferPhosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.ApplicationsRecommended DilutionIHC1:25-1:100	Host	Rabbit	Rabbit	
Conjugation Unconjugated Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. Applications Recommended Dilution IHC 1:25-1:100	Isotype	IgG		
Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. Applications Recommended Dilution IHC 1:25-1:100	Purification	Affinity purification	Affinity purification	
Applications Recommended Dilution IIC 1:25-1:100	Conjugation	Unconjugated	Unconjugated	
HC 1:25-1:100	Buffer	Phosphate buffered solut	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
	Applications	ns Recommended Dilution		
Data	IHC	1:25-1:100		
		1.25-1.100		
	Data	1.25-1.100		
Preparation & Storage	Data	mistry of paraffin-embedded Human liver g SPATA6 Polyclonal Antibody at dilution	Immunohistochemistry of paraffin-embedded Human lung cancer tissue using SPATA6 Polyclonal Antibody at dilution 1:50	
	Data Immunohistocher cancer tissue using	mistry of paraffin-embedded Human liver g SPATA6 Polyclonal Antibody at dilution 1:50	cancer tissue using SPATA6 Polyclonal Antibody at dilution	
Shipping The product is shipped with ice pack,upon receipt, store it immediately at the	Data Immunohistocher cancer tissue using	mistry of paraffin-embedded Human liver g SPATA6 Polyclonal Antibody at dilution 1:50 torage	cancer tissue using SPATA6 Polyclonal Antibody at dilution 1:50	

temperature recommended.

Background

The Spata6 gene consists of 15 exons ranging in size between 40 and 596 bp. It may play a role in spermatid maturation or sperm function. The Spata6 gene was localized to chromosome 5, region q34-35 in the rat and to chromosome 1, region p32-35 in the human.