A Reliable Research Partner in Life Science and Medicine

IL-8/CXCL8 Monoclonal Antibody(Detector)

catalog number: AN002150P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

Immunogen Recombinant Human IL-8/CXCL8 protein expressed by Mammalian

HostRatIsotypeRat IgGlClone3E8


Purification Protein A/G Purification

Buffer Phosphate buffered solution, pH 7.2, containing 0.05% Proclin 300.

Applications Recommended Dilution

ELISA Detector 0.1-0.4 μg/mL

Data



Sandwich ELISA-Recombinant Human IL-8/CXCL8 protein standard curve.Background subtracted standard curve using IL-8/CXCL8 antibody(AN002140P)(Capture),IL-8/CXCL8 antibody(AN002150P)(Detector) in sandwich ELISA.The reference range value for Recombinant Human IL-8/CXCL8 protein is 7.81-500 pg/mL.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Interleukin 8 (IL-8), also known as CXCL8, which is a member of the CXC chemokine family. This chemokine is secreted by a variety of cell types including monocyte/macrophages, T cells, neutrophils, fibroblasts, endothelial cells, and various tumor cell lines in response to inflammatory stimuli. IL-8 has two primary functions. It induces chemotaxis in target cells, primarily neutrophils but also other granulocytes, causing them to migrate toward the site of infection. IL-8 also induces phagocytosis once they have arrived. This gene is believed to play a role in the pathogenesis of bronchiolitis, a common respiratory tract disease caused by viral infection. IL-8 is also known to be a potent promoter of angiogenesis. IL-8 has been associated with tumor angiogenesis, metastasis, and poor prognosis in breast cancer. IL-8 may present a novel therapeutic target for estrogen driven breast carcinogenesis and tumor progression.

For Research Use Only