

VASH2 Polyclonal Antibody

catalog number: E-AB-17250

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description


Reactivity	Human;Mouse
Immunogen	Full length fusion protein
Host	Rabbit
Isotype	Rabbit IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications

Recommended Dilution

WB	1:500-2000
-----------	------------

Data



Western Blot analysis of Hela cell using VASH2
Polyclonal Antibody at dilution of 1/450

Calculated-MW: 40 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

Vasohibin-2, also known as VASH2, is a 355 amino acid protein belonging to the Vasohibin family. Expressed in various embryonic organs, Vasohibin-2 can be detected during embryonic weeks six through twelve and is found in vessels of 20-week embryonic organs as well as in endothelial cells of neonatal large vessels. Induced by VEGF, Vasohibin-2 is an angiogenesis inhibitor and interferes with the proliferation, migration and network formation by endothelial cells.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.8