A Reliable Research Partner in Life Science and Medicine

CTIP2/BCL11B Polyclonal Antibody

catalog number: E-AB-92261

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant fusion protein of human CTIP2/BCL11B

Host Rabbit
Isotype IgG


Purification Affinity purification

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution


WB 1:500-1:2000 IHC 1:50-1:200 IF 1:50-1:200

Data





Western blot analysis of extracts of various cell lines using CTIP2/BCL11B Polyclonal Antibody at 1:1000 dilution.

Observed-MW: 120-130 kDa Calculated-MW: 95 kDa



Immunohistochemistry of paraffin-embedded rat brain using CTIP2/BCL11B Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.





Immunohistochemistry of paraffin-embedded rat spleen using

CTIP2/BCL11B Polyclonal Antibody at dilution of 1:50 (40x CTIP2/BCL11B Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM lens). Blue: DAPI for nuclear staining.

citrate buffer pH 6.0 before commencing with IHC staining

protocol.

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Tel: 1-832-243-6086 Email:techsupport@elabscience.com Fax: 1-832-243-6017

Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

This gene encodes a C2H2-type zinc finger protein and is closely related to BCL11A, a gene whose translocation may be associated with B-cell malignancies. Although the specific function of this gene has not been determined, the encoded protein is known to be a transcriptional repressor, and is regulated by the NURD nucleosome remodeling and histone deacetylase complex. Four alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.

Fax: 1-832-243-6017