Recombinant Human AREG Protein(Trx Tag)

Catalog Number: PDEH100533



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-			
- 1	00	crip	IOI
JU			

Species Human

Source E.coli-derived Human AREG protein Ser101-Lys 184, with an N-terminal Trx

 Mol_Mass
 29 kDa

 Accession
 P15514

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Human AREG proteins, 2 µg/lane of Recombinant Human AREG proteins was resolved with an SDS-PAGE under reducing conditions, showing bands at 29

KD

Background

The protein encoded by this gene is a member of the epidermal growth factor family. It is an autocrine growth factor as well as a mitogen for astrocytes, Schwann cells and fibroblasts. It is related to epidermal growth factor (EGF) and transforming growth factor alpha (TGF-alpha). The protein interacts with an the EGF/TGF-alpha receptor to promote the growth of normal epithelial cells, and it inhibits the growth of certain aggressive carcinoma cell lines. It also functions in mammary gland, oocyte and bone tissue development. This gene is associated with an a psoriasis-like skin phenotype, and is also associated with an other pathological disorders, including various types of cancers and inflammatory conditions.

For Research Use Only