A Reliable Research Partner in Life Science and Medicine

# Recombinant Mouse CD28/TP44 Protein (Fc &His Tag)

Catalog Number: PKSM041241

Note: Centrifuge before opening to ensure complete recovery of vial contents.

	escrip			7.0	
10)	00	OF	m	177	nn
v	$\mathbf{c}$			U	

**Species** Mouse

Source HEK293 Cells-derived Mouse CD28/TP44 protein Asn20-Lys149, with an C-terminal

Fc & His

Calculated MW43.0 kDaObserved MW60 kDaAccessionP31041

**Bio-activity** Not validated for activity

### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 μm filtered solution of 20mM PB,150mM NaCl,pH7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



## Background

T-cell-specific surface glycoprotein CD28, contains an Ig-like V-type domain. CD28 is one of the proteins expressed on T cells that provide co-stimulatory signals, which are required for their activation. It is the receptor for CD80 and CD86. When activated by Toll-like receptor ligands, the CD80 expression is upregulated in antigen presenting cells (APCs). The CD86 expression on antigen presenting cells is constitutive. CD28 is the only B7 receptor constitutively expressed on naive T cells. It involved in T-cell activation, the induction of cell proliferation and cytokine production and promotion of T-cell survival.

### For Research Use Only