CCL7 Polyclonal Antibody

catalog number: E-AB-40149



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
<u> </u>	
Reactivity	Rat
Immunogen	Recombinant human C-C motif chemokine 7 protein
Host	Rabbit
Isotype	IgG
Purification	Antigen Affinity Purification
Conjugation	Unconjugated
buffer	PBS with 0.05% proclin 300, 1% protective protein and 50% glycerol,pH7.4
Applications	Recommended Dilution
IHC	1:50-1:100
Data	
Immunohistochemistry of paraffin-embedded Rat spleen using CCL7 Polyclonal Antibody at dilution of 1:50	
Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.
Background	
-	nocyte chemotactic protein 3, a secreted chemokine which attracts macrophages during stasis. It is a member of the C-C subfamily of chemokines which are characterized by having two

inflammation and metastasis. It is a member of the C-C subfamily of chemokines which are characterized by having two adjacent cysteine residues. The protein is an in vivo substrate of matrix metalloproteinase 2, an enzyme which degrades components of the extracellular matrix. This gene is part of a cluster of C-C chemokine family members on chromosome 17q.

For Research Use Only