Recombinant Human STUB1 Protein

Catalog Number: PKSH032367

Note: Centrifuge before opening to ensure complete recovery of vial contents.

-		
Description		
Species		Human
Source		E.coli-derived Human STUB1 protein Met 1-Tyr303
Calculated MW		34.9 kDa
Observed MW		33 kDa
Accession		Q9UNE7
Bio-activity		Not validated for activity
Properties		
Purity		> 95 % as determined by reducing SDS-PAGE.
Concentration		Subject to label value.
Endotoxin		< 1.0 EU per µg of the protein as determined by the LAL method.
Storage		Store at $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping		This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel
		packs. Upon receipt, store it immediately at $< -20^{\circ}$ C.
Formulation		Supplied as a 0.2 µm filtered solution of PBS, pH7.4.
Data		
	kDa MK	R
	120	
	90 60	
	40	
	-0	_
	30	
	20	
	14	

Background

E3 Ubiquitin-Protein Ligase CHIP is a cytoplasmic protein. CHIP is highly expressed in skeletal muscle, heart, pancreas, brain and placenta. CHIP interacts with the molecular chaperones Hsc70-Hsp70 and Hsp90 through its TPR domain; lead to in client substrate ubiquitylation and degradation by the proteasome. CHIP targets misfolded chaperone substrates towards proteasomal degradation. CHIP mediates transfer of non-canonical short ubiquitin chains to HSPA8 that have no effect on HSPA8 degradation. CHIP plays a role in base-excision repair: catalyzes polyubiquitination by amplifying the HUWE1/ARF-BP1-dependent monoubiquitination and leading to POLB-degradation by the proteasome. It also may regulate the receptor stability and activity through proteasomal degradation.