



A Reliable Research Partner in Life Science and Medicine

Biotin Anti-Mouse CD162 Antibody[4RA10]

Catalog Number: E-AB-F1034B

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Mouse Rat Host

Isotype Rat IgG1, ĸ Clone No. 4RA10

Biotin Rat IgG1, κ Isotype Control[HRPN] [Product E-AB-F09823B] Isotype Control

Conjugation

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer.

Applications Recommended usage

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow **FCM**

> cytometric staining, the suggested use of this reagent is ≤ 1.0 µg per 10⁶ cells in 100 µL volume or 100 µL of whole blood. It is recommended that the reagent be titrated for

optimal performance for each application.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Do not freeze.

Shipping Ice bag

Antigen Information

Alternate Names CD162;P-selectin glycoprotein ligand 1;PSGL-1;Selectin P ligand;Selplg;PSGL1

Uniprot ID Q62170 Gene ID 20345

Background The 4RA10 antibody reacts with the N-terminal functional peptide of CD162 (P-selectin

> glycoprotein ligand-1, PSGL-1), encoded by the Selpl gene. PSGL-1 is expressed on the cell surface as a homodimer of approximately 230 kDa. In the mouse, Selpl mRNA is detected in most tissues, with high levels found in hematopoietic cells, brain, and adipose tissue. Flow cytometric analyses have revealed CD162 expression on bone marrow-derived mast and dendritic cells, splenic leukocytes, platelets, peripheral blood neutrophils, and neutrophil and T-cell lines. PSGL-1 is a ligand for P-selectin (CD62P) and is involved in leukocyte rolling, the migration of leukocytes into inflamed tissues, and responses to vascular injury. It is a sialomucin that must be specifically sialylated, fucosylated, and sulfated to bind P-selectin. There is also evidence that other ligands for PSGL-1 and CD62P may exist. 4RA10 mAb is reported to block the

binding of mouse leukocytes to CD62P and CD62L.

Tel: 1-832-243-6086 Fax: 1-832-243-6017 Toll-free: 1-888-852-8623 Web:www.elabscience.com

Email:techsupport@elabscience.com