

Human CD74 Antibody Pair Set

Catalog No.	E-KAB-0510	Applications	ELISA
Synonyms	CD74;DHLA G;HLADG;II;Ia-GAMMA;CD74 molecule		

Kit components & Storage

Title	Specifications	Storage
Human CD74 Capture Antibody	1 vial, 100 µg	Store at -20℃ for one year. Avoid freeze/thaw cycles.
Human CD74 Detection Antibody (Biotin)	1 vial, 50 µL	Store at -20℃ for one year. Avoid freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Product Information

Items		Characteristic (E-KAB-0510)	
		Human CD74 Capture Antibody	Human CD74 Detection Antibody (Biotin)
Immunogen Information	Immunogen	Recombinant Human CD74 protien	Recombinant Human CD74 protien
	Swissprot	P04233	
Product details	Reactivity	Human	Human
	Host	Sheep	Sheep
	Conjugation	Unconjugated	Biotin
	Concentration	0.5 mg/mL	/
	Buffer	PBS with 0.04% Proclin 300; 50% glycerol; pH 7.5	PBS with 0.04% Proclin 300; 1% protective protein; 50% glycerol; pH 7.5
	Purify	Antigen Affinity	Antigen Affinity
	Specificity	Detects Human CD74 in ELISAs.	

For Research Use Only

Applications

Human CD74 Sandwich ELISA Assay

	Recommended Concentration/Dilution	Reagent	Images
ELISA Capture	0.5-4 µg/mL	Human CD74 Capture Antibody	
ELISA Detection	1:1000-1:10000	Human CD74 Detection Antibody (Biotin)	

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

The protein encoded by this gene associates with class II major histocompatibility complex (MHC) and is an important chaperone that regulates antigen presentation for immune response. It also serves as cell surface receptor for the cytokine macrophage migration inhibitory factor (MIF) which, when bound to the encoded protein, initiates survival pathways and cell proliferation. This protein also interacts with amyloid precursor protein (APP) and suppresses the production of amyloid beta (Abeta). Multiple alternatively spliced transcript variants encoding different isoforms have been identified.

For Research Use Only