






IGF2BP3 Polyclonal Antibody

catalog number: E-AB-62356

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Immunogen	Recombinant fusion protein of human IGF2BP3 (NP_006538.2).
Host	Rabbit
Isotype	Rabbit IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:200
IF	1:50-1:200

Data	
 Western blot analysis of extracts of various cell lines using IGF2BP3 Polyclonal Antibody at dilution of 1:1000. Observed-MW:70 kDa Calculated-MW:21 kDa/63 kDa	 Immunohistochemistry of paraffin-embedded Human esophagus using IGF2BP3 Polyclonal Antibody at dilution of 1:200 (40x lens).
 Immunohistochemistry of paraffin-embedded Human stomach using IGF2BP3 Polyclonal Antibody at dilution of 1:200 (40x lens).	 Immunohistochemistry of paraffin-embedded Mouse lung using IGF2BP3 Polyclonal Antibody at dilution of 1:200 (40x lens).
 Immunofluorescence analysis of U2OS cells using IGF2BP3 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.	

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.8

Preparation & Storage

Storage

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping

The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

The protein encoded by this gene is primarily found in the nucleolus, where it can bind to the 5' UTR of the insulin-like growth factor II leader 3 mRNA and may repress translation of insulin-like growth factor II during late development. The encoded protein contains several KH domains, which are important in RNA binding and are known to be involved in RNA synthesis and metabolism. A pseudogene exists on chromosome 7, and there are putative pseudogenes on other chromosomes.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.8