HIST1H2BK Polyclonal Antibody

Catalog Number: E-AB-52805



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human, Mouse

Immunogen Fusion protein of human HIST1H2BK

Host Rabbit
Isotype IgG

Purification Antigen affinity purification


Conjugation Unconjugated

Formulation PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Applications Recommended Dilution

IHC 1:40-1:200 ELISA 1:5000-1:10000

Data



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using HIST1H2BK Polyclonal Antibody at dilution of 1:60(×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using HIST1H2BK Polyclonal Antibody at dilution of 1:60(×200)

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene encodes a replication-dependent histone that is a member of the histone H2B family. The protein encoded is an antimicrobial protein with antibacterial and antifungal activity. Two transcripts that encode the same protein have been identified for this gene, which is found in the histone microcluster on chromosome 6p21.33.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com